

### **AMENDMENTS TO THE CLAIMS**

The listing of claims will replace all prior versions, and listings, of claims in the application:

#### **Listing of Claims:**

1. (Currently Amended) In a system that receives a digital transmission, wherein the digital transmission includes digital data including video packets, audio packets and data packets, a set top box for receiving and processing the digital data, the set top box comprising:

a tuning component for receiving the digital transmission, wherein the tuning component produces at least one channel, each at least one channel having digital data;

an A/V/D unit for processing each at least one channel;

a single processing component including a browser operably connected with the tuning component and the A/V/D unit, the browser for browsing interactive content that can be included in digital data of a channel, wherein the single processing component solely provides control functionality and processor requirements for each component in the set top box including the tuning component, and the A/V/D unit,; and the browser;

a internal unified memory having access solely controlled by the single processing component, wherein the unified memory satisfies memory requirements of each component in the set top box including the tuning component, the A/V/D unit, and the processing component;-  
and

wherein the processing component is configured to dynamically use the unified memory for the tuning component and the A/V/D unit according to respective needs of the tuning component and the A/V/D unit to provide sufficient resources such that the interactive content can be accessed by a user of the set top box.

2. (Original) A set top box as defined in claim 1, wherein the tuning component comprises:

at least one tuning and demodulating component for tuning and demodulating the digital transmission to produce at least one transport stream; and

at least one transport module for producing the at least one channel from the at least one transport stream.

3. (Original) A set top box as defined in claim 2, wherein the at least one tuning and demodulating component comprises:

at least one tuner, each at least one tuner tuning the digital transmission to the at least one transport stream; and

at least one demodulator for demodulating the at least one transport stream.

4. (Original) A set top box as defined in claim 2, wherein the at least one transport module comprises:

at least one transport demultiplexor for demultiplexing each at least one transport stream to produce each at least one channel; and

at least one descrambler for decrypting each at least one channel that is encrypted.

5. (Original) A set top box as defined in claim 1, wherein the A/V/D unit comprises:

an audio decoder for decoding audio packets of the at least one channel;

a video decoder for decoding video packets of the at least one channel; and

a data component for processing data packets of the at least one channel.

6. (Original) A set top box as defined in claim 1, further comprising a conditional access, wherein the conditional access receives conditional access packets in the at least one channel and transmits the conditional access packets to a vendor system.

7. (Original) A set top box as defined in claim 6, wherein the conditional access receives decrypted keys from the vendor device for use in decrypting each of the at least one channel that is encrypted.

8. (Currently Amended) In a system capable of receiving a digital transmission having digital data including interactive content, video programming and audio programming over a digital system, a set top box for receiving and processing the digital data, the set top box comprising:

one or more tuning and demodulating components for tuning and demodulating one or more transport streams contained in the digital transmission, each transport stream being capable of carrying the digital data;

a transport demultiplexor operably connected to the one or more tuning and demodulating components for demultiplexing each transport stream output by the one or more tuning components to produce one or more channels;

an A/V/D unit for processing the digital data of the one or more channels, wherein the A/V/D unit decodes the video programming and the audio programming and processes the interactive content of the one or more channels;

a unified memory; and

a processing component including a browser for browsing the interactive content, that provides the processing component solely providing processing requirements and controlling unified memory access for each component in the set top box including the one or more tuning and demodulating components, the transport demultiplexor, and the A/V/D unit ~~with access to the unified memory, wherein the unified memory is dynamically allocated to the one or more tuning and demodulating components, the transport demultiplexor, and the A/V/D unit according to their respective needs.~~

9. (Original) A set top box as defined in claim 8, wherein the interactive content includes one or more of: digital video; digital audio; graphics; and Internet web pages.

10. (Original) A set top box as defined in claim 8, wherein each tuning and demodulating component comprises at least one tuner operably connected to at least one demodulator.

11. (Original) A set top box as defined in claim 8, wherein each channel is a video stream.

12. (Original) A set top box as defined in claim 8, wherein the set top box further comprises a communications device.

13. (Original) A set top box as defined in claim 12, wherein the communications device is a modem for connecting with the Internet over the digital system.

14. (Original) A set top box as defined in claim 8, wherein the A/V/D unit further comprises:

a graphics engine for processing interactive content of the one or more channels;

an audio decoder for decoding audio packets of the one or more channels;

and

a video decoder for decoding video packets of the one or more channels.

15. (Original) A set top box as defined in claim 8, further comprising a conditional access component, wherein the conditional access component receives conditional access packets from the digital transmission and transmits the conditional access packets to a vendor system.

16. (Original) A set top box as defined in claim 15, wherein the conditional access component receives entitlement management message (EMM) packets and entitlement control message (ECM) packets carried in the digital transmission and provides the ECM packets and the EMM packets to the vendor system.

17. (Original) A set top box as defined in claim 16, wherein the conditional access component receives decrypted keys from the vendor system for use in decrypting each of the one or more channels having encrypted digital data.

18. (Currently Amended) In a system receiving digital transmissions having digital data, the digital data including at least video content, audio content and interactive content, a set top box for processing the digital data, the set top box comprising:

a tuning and demodulating component having a plurality of tuners, each tuner being operably connected with a corresponding demodulator, the tuning and demodulating component producing at least one transport stream from the digital transmission;

a transport demultiplexor for receiving each transport stream output by the tuning and demodulating component, wherein the transport demultiplexor selects a channel from each transport stream, each channel comprising a serial bitstream of related packets, wherein the related packets comprise at least one of: video packets, audio packets, and interactive content packets;

an A/V/D unit including a browser, wherein the A/V/D unit decodes the video packets, decodes the audio packets and processes the interactive content packets with the browser; and

a unified memory that solely satisfies the memory requirements of components in the set top box including the tuning and demodulating component, the transport demultiplexor, and the A/V/D unit; and

a processor providing a that solely provides processing requirements for components of the set top box and solely controls access to the unified memory for components of the set top box, wherein memory requirements of the transport demultiplexor, the A/V/D unit, and the tuning and demodulating component are satisfied by the unified memory.

19. (Original) A set top box as defined in claim 18, wherein each of the at least one transport streams produced by the tuning and demodulating component comprises multiplexed channels.

20. (Original) A set top box as defined in claim 19, wherein the transport demultiplexor demultiplexes each of the at least one transport streams to select at least one channel.

21. (Original) A set top box as defined in claim 18, wherein the A/V/D unit is capable of producing at least one video output and at least one audio output for use by an end device.

22. (Original) A set top box as defined in claim 21, wherein the end device is a television capable of rendering the at least one video output and the at least one audio output.

23. (Currently Amended) A set top box as defined in claim 18, wherein access to the unified memory is accessible by the A/V/D unit, the transport demultiplexor, and the tuning and demodulating component is solely controlled by the processing component.

24. (Original) A set top box as defined in claim 18, further comprising a conditional access component.

25. (Original) A set top box as defined in claim 24, wherein the conditional access component comprises security means for ensuring that only authorized consumers obtain access to encrypted channels.

26. (Original) A set top box as defined in claim 24, wherein the conditional access component comprises an applications programming interface capable of interacting with a vendor supplied device such that conditional access packets are provided to the vendor supplied device through the conditional access component.

27. (Currently Amended) In a system having a set top box capable of receiving a digital transmission containing video packets, audio packets, and data packets including interactive content, a method for processing the digital transmission to produce video and audio outputs, the method comprising steps for:

a processor that solely provides the processing requirements for components of the set top box and solely controls access to a unified memory contained in the set top box dynamically allocating portions of the unified memory to other components based on their respective needs;

tuning the received digital transmission to produce a transport stream, the transport stream having at least one channel, wherein some of the at least one channel are encrypted;

demultiplexing the transport stream to produce the at least one channel;

passing encrypted keys extracted from the at least one channel, through a conditional access, to a security system;

receiving decrypted keys, through the conditional access, from the security system; and

processing the video packets, audio packets, and data packets contained in the at least one channel with an A/V/D unit to produce the video and audio outputs.

28. (Original) A method as defined in claim 27, wherein the step of tuning the received digital transmission further comprises the step of demodulating the received digital transmission.

29. (Original) A method as defined in claim 27, wherein the step of passing encrypted keys further comprises the step of transmitting entitlement management message (EMM) and entitlement control message (ECM) packets to the security system.

30. (Original) A method as defined in claim 27, wherein the step of processing the video packets, audio packets, and data packets contained in the at least one channel with an A/V/D unit further comprises the steps of:

decoding the audio content;  
decoding the video content; and  
processing the interactive content with a browser.

31. (Original) A method as defined in claim 27, wherein the step of receiving decrypted keys further comprises the step of decrypting the at least one channel if the at least one channel is encrypted.

32. (Original) A method as defined in claim 27, wherein the conditional access comprises an applications programming interface, wherein the applications programming interface is accessible by the security system.